



Nombres:

**HÉCTOR RENÁN**

---

Apellidos:

**BRAVO VERGARA**

---

Contacto (Opcional):

[SCOPAJA@UCHILE.CL](mailto:SCOPAJA@UCHILE.CL)

---

Título Profesional o Grado Académico (incluya el año de obtención):

**PROFESOR DE QUÍMICA Y CIENCIAS NATURALES, UNIVERSIDAD DE CHILE**

---

Estudios de Postgrado o Especialización (institución donde lo obtuvo y año de obtención):

**MAGÍSTER EN CIENCIAS QUÍMICAS, UNIVERSIDAD DE CHILE, 1984**

---

Actividad Actual e Institución en la cual trabaja:

**PROFESOR ADJUNTO DE LA UNIVERSIDAD DE CHILE. ESCUELA DE PREGRADO DE LA FACULTAD DE CIENCIAS.**

---

Reseña de su actividad laboral actual:

<p><b>Área de Investigación:</b> Estudios de estructura-bioactividad de metabolitos secundarios de plantas de importancia agrícola.</p>
---

Publicaciones:

Copaja, S.V., Bravo, H.R., Muñoz, P.

Adsorption of fungicides in chilean soils incubated with biosolids

(2012) Journal of the Chilean Chemical Society, 57 (2), pp. 1091-1094.

[http://www.scopus.com/inward/record.url?eid=2-s2.0-](http://www.scopus.com/inward/record.url?eid=2-s2.0-84866405077&partnerID=40&md5=0a4c956035fcd73cbda3210e7c21a96)

[84866405077&partnerID=40&md5=0a4c956035fcd73cbda3210e7c21a96](http://www.scopus.com/inward/record.url?eid=2-s2.0-84866405077&partnerID=40&md5=0a4c956035fcd73cbda3210e7c21a96)

DOCUMENT TYPE: Article

SOURCE: Scopus

Bravo, H.R., Villarroel, E., Copaja, S.V., Argandoña, V.H.  
Chemical basis for the phytotoxicity of N-aryl hydroxamic acids and acetanilide analogues  
(2008) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 63 (5-6), pp. 389-394.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-48249093463&partnerID=40&md5=0fa66223bf77bff865ba746ec519668c>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Silva, H., Copaja, S.V., Bravo, H.R., Argandoña, V.H.  
Relationship between grain yield, osmotic adjustment and benzoxazinone content in *Triticum aestivum* L. cultivars  
(2006) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 61 (9-10), pp. 704-708. Cited 5 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-33750936608&partnerID=40&md5=a55d103e6bacd7dc2add4de94dc52a8a>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Copaja, S.V., Villarroel, E., Bravo, H.R., Pizarro, L., Argandoña, V.H.  
Hydroxamic acids in *Secale cereale* L. and the relationship with their antifeedant and allelopathic properties  
(2006) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 61 (9-10), pp. 670-676. Cited 6 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-33750958169&partnerID=40&md5=e2fedccd6d737d9b3ce1caf69b632cf1>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Copaja, S.V., Figueroa-Duarte, S., Lamborot, M., San Martín, J.  
1,4-benzoxazin-3-one, 2-benzoxazolinone and gallic acid from *Calceolaria thyrsoiflora* Graham and their antibacterial activity  
(2005) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 60 (5-6), pp. 389-393. Cited 2 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-22144453937&partnerID=40&md5=12dc795733230464e49b87af1968fe7b>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Copaja, S.V., Argandoña, V.H.  
Chemical Basis for the Antifeedant Activity of Natural Hydroxamic Acids and Related Compounds  
(2004) Journal of Agricultural and Food Chemistry, 52 (9), pp. 2598-2601. Cited 10 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-2342460418&partnerID=40&md5=4ed9c2f2d6dca6d8129bfd035986b28>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Copaja, S.V., San Martín, J.  
Contents of 1,4-benzoxazin-3-ones and 2-benzoxazolinone from *Stenandrium dulce* (Nees)  
(2004) Zeitschrift fur Naturforschung - Section C Journal of Biosciences, 59 (3-4), pp. 177-180. Cited 4 times.

<http://www.scopus.com/inward/record.url?eid=2-s2.0-1942541320&partnerID=40&md5=6ec27a6b73298d1813674618eac5c263>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Weiss-López, B., Lamborot, M., Copaja, S.V.  
Chemical basis for the antimicrobial activity of acetanilides  
(2003) Journal of the Chilean Chemical Society, 48 (4), pp. 27-30. Cited 1 time.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-1842781596&partnerID=40&md5=67f7fa2eaf782c0db3ef72f9b8c14cec>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Copaja, S.V.  
Contents and morphological distribution of 2,4-dihydroxy-1,4-benzoxazin-3-one and 2-benzoxazolinone in *Acanthus mollis* in relation to protection from larvae of *Pseudaletia impuncta*  
(2002) Annals of Applied Biology, 140 (2), pp. 129-132. Cited 14 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0036229339&partnerID=40&md5=5c4f1f49c778e7c68ecd3a846532f3af>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Ernesto Clavijo, R., Weiss-Lopez, B.E.  
Frontier orbitals and ir frequencies of cyclic hydroxamic acids related to antimicrobial activity  
(2001) Boletín de la Sociedad Chilena de Química, 46 (3), pp. 257-260. Cited 2 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-1842742336&partnerID=40&md5=e63c7d7e86d7ce0e00d626ce0f42b3d8>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R.  
New products from the decomposition of 2-Hydroxy-1,4-benzoxazin-3-one (HBOA) a natural lactam from cereals and the 7-nitroderivative (HNBOA)  
(2000) Boletín de la Sociedad Chilena de Química, 45 (1), pp. 071-074.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-33750094472&partnerID=40&md5=aefd41f2ee88cd9a153ea37c74596fce>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Weiss-Lopez, B.E.  
N-acylation of lactams derived from natural 2-benzoxazolinones and 1,4-benzoxazin-3-ones  
(1999) Boletín de la Sociedad Chilena de Química, 44 (4), pp. 443-450. Cited 2 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0007182295&partnerID=40&md5=30eada1133d7ff93904bc8800c847a28>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Copaja, S.V., Lazo, W.  
Antimicrobial Activity of Natural 2-Benzoxazolinones and Related Derivatives  
(1997) Journal of Agricultural and Food Chemistry, 45 (8), pp. 3255-3257. Cited 12 times.

<http://www.scopus.com/inward/record.url?eid=2-s2.0-0000459499&partnerID=40&md5=c2ef65e2b821df9363c39393c1642656>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Lazo, W.  
Antialgal and antifungal activity of natural hydroxamic acids and related compounds (1996) *Journal of Agricultural and Food Chemistry*, 44 (6), pp. 1569-1571. Cited 37 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0000264241&partnerID=40&md5=9cd2e274c25fde98e2e184211999ecd1>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Weiss-López, B., Bravo, H.R.  
Substituent effects in frontier orbitals of cyclic hydroxamic acids (1994) *Heterocycles*, 38 (1), pp. 9-16. Cited 7 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0344609884&partnerID=40&md5=6ad6836bad8a1c3317f3328f1172f56c>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Lazo, W.  
Antimicrobial activity of cereal hydroxamic acids and related compounds (1993) *Phytochemistry*, 33 (3), pp. 569-571. Cited 22 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0000599660&partnerID=40&md5=226fb467e3582d15f8ac122be30dda22>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Atkinson, J., Morand, P., Arnason, J.T., Niemeyer, H.M., Bravo, H.R.  
Analogues of the cyclic hydroxamic acid 2,4-dihydroxy-7-methoxy-2H-1,4-benzoxazin-3-one: Decomposition to benzoxazolinones and reaction with  $\beta$ -mercaptoethanol (1991) *Journal of Organic Chemistry*, 56 (5), pp. 1788-1800. Cited 53 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0025973098&partnerID=40&md5=a00bc46dee2379c13460a50a7a68cb5e>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Bravo, H.R., Niemeyer, H.M.  
Decomposition of 7-nitro-2,4-dihydroxy-1,4-benzoxazin-3-one in aqueous solutions (1991) *Heterocycles*, 32 (9), pp. 1687-1691. Cited 4 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0004479701&partnerID=40&md5=490303625e284ba1e35565c221c65f36>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Zúñiga, G.E., Copaja, S.V., Bravo, H.R., Argandoña, V.H.  
Hydroxamic acids accumulation by wheat callus (1990) *Phytochemistry*, 29 (7), pp. 2139-2141. Cited 10 times.  
<http://www.scopus.com/inward/record.url?eid=2-s2.0-0011363501&partnerID=40&md5=361abb7622a9c2f1df1be0105bcf47a3>  
DOCUMENT TYPE: Article  
SOURCE: Scopus

Niemeyer, H.M., Pesel, E., Copaja, S.V., Bravo, H.R., Franke, S., Francke, W. Changes in hydroxamic acid levels of wheat plants induced by aphid feeding (1989) *Phytochemistry*, 28 (2), pp. 447-449. Cited 44 times.

[http://www.scopus.com/inward/record.url?eid=2-s2.0-](http://www.scopus.com/inward/record.url?eid=2-s2.0-0000886369&partnerID=40&md5=4b390125667e2c1b7f8fa7111ff855bd)

[0000886369&partnerID=40&md5=4b390125667e2c1b7f8fa7111ff855bd](http://www.scopus.com/inward/record.url?eid=2-s2.0-0000886369&partnerID=40&md5=4b390125667e2c1b7f8fa7111ff855bd)

DOCUMENT TYPE: Article

SOURCE: Scopus

Copaja, S.V., Bravo, H.R., Niemeyer, H.M.

Quantitation of N-(2-hydroxy-4-methoxyphenyl)glyoxylohydroxamic acid, a reactive intermediate in reactions of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one (1986) *Journal of Organic Chemistry*, 51 (18), pp. 3542-3545. Cited 3 times.

[http://www.scopus.com/inward/record.url?eid=2-s2.0-](http://www.scopus.com/inward/record.url?eid=2-s2.0-0346807612&partnerID=40&md5=90bac8b5dcb2610fb5b720b89e04f189)

[0346807612&partnerID=40&md5=90bac8b5dcb2610fb5b720b89e04f189](http://www.scopus.com/inward/record.url?eid=2-s2.0-0346807612&partnerID=40&md5=90bac8b5dcb2610fb5b720b89e04f189)

DOCUMENT TYPE: Note

SOURCE: Scopus

Bravo, H.R., Niemeyer, H.M.

Interaction of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one (dimboa) with alcoholic solvents

(1986) *Heterocycles*, 24 (10), pp. 2809-2812. Cited 1 time.

[http://www.scopus.com/inward/record.url?eid=2-s2.0-](http://www.scopus.com/inward/record.url?eid=2-s2.0-38249040875&partnerID=40&md5=ecea2db5226bd52f796b8ea3cc7f17b3)

[38249040875&partnerID=40&md5=ecea2db5226bd52f796b8ea3cc7f17b3](http://www.scopus.com/inward/record.url?eid=2-s2.0-38249040875&partnerID=40&md5=ecea2db5226bd52f796b8ea3cc7f17b3)

DOCUMENT TYPE: Article

SOURCE: Scopus

Bravo, H.R., Niemeyer, H.M.

Decomposition in aprotic solvents of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one, a hydroxamic acid from cereals

(1985) *Tetrahedron*, 41 (21), pp. 4983-4986. Cited 20 times.

[http://www.scopus.com/inward/record.url?eid=2-s2.0-](http://www.scopus.com/inward/record.url?eid=2-s2.0-0008844998&partnerID=40&md5=ff30ba71f8c94788e520063276fb9e04)

[0008844998&partnerID=40&md5=ff30ba71f8c94788e520063276fb9e04](http://www.scopus.com/inward/record.url?eid=2-s2.0-0008844998&partnerID=40&md5=ff30ba71f8c94788e520063276fb9e04)

DOCUMENT TYPE: Article

SOURCE: Scopus